



# Education Networking Solutions Product Guide for E-Rate

Reliable school networks made simple

**RUCKUS**<sup>®</sup>  
NETWORKS



# Why choose RUCKUS for your school project?

As your school continues its digital transformation to 1:1 mobile learning, RUCKUS helps you address the top three challenges of school IT: network scaling, securing student data privacy, and network reliability for digital instruction.

## The digital classroom of tomorrow promises an outstanding education. Is your network ready?

The classroom of tomorrow promises an outstanding education. Blended learning, digital curriculum and other modern learning models can better engage students and help educators be more effective.

With this digital transformation, lesson plans now depend on consistent, reliable connectivity to the school's network. Instead of leaving tools locked in the classroom, students walk in the door with their laptops, tablets or other devices every morning, and take them home with them each night.

As such, there are three major concerns that school IT administrators are currently facing.

### NETWORK AND BROADBAND SCALING



#### THE TOP PRIORITY FOR IT IS BROADBAND AND NETWORK CAPACITY.

More devices are coming onto the network, stretching the limits of aging infrastructure. SETDA recommends 10Gbps per 1000 students by 2020-21. Plan for growth, not rip-and-replace.

### SECURITY AND STUDENT DATA PRIVACY



#### FACING THE TASK OF PROTECTING STUDENT DATA FROM MISUSE OR BREACH.

Buying or receiving 1:1 computers for digital learning will require schools to securely on-board devices for student data privacy.

### TRANSITION TO DIGITAL LEARNING



#### THE TRANSITION FROM TEXT-BASED CURRICULA TO BLENDED LEARNING.

Reliable connectivity is critical for classroom and distance learning. Cloud managed networks combined with network analytics can reduce digital downtime.

# Education Solutions for E-Rate

Expectations for your communications network have never been higher, as both students and teachers engage in new ways. To keep up with this demand, the communication infrastructure must be up to the task. That's where RUCKUS solutions can help your communications network do more—and do it better.

RUCKUS' communications infrastructure solutions are built to make your communications network simpler to deploy and manage, improve its reliability, and give it the adaptability to evolve as students and teachers' requirements change.

Our Education Network solutions portfolio for E-Rate covers every connection and cable, from copper and fiber structured cabling to the latest Wi-Fi 6 access points, high capacity switching and the best in control management using cloud or on-prem. CommScope is the only vendor who can fully support your entire communications network for your school, home, and community.

RUCKUS' portfolio of products will provide you with the most reliable networks made simple.

## FUTURE PROOF



Our ICX access switch uplinks can be upgraded without replacing the switch. We also support stacking up to 12 switches, while Campus Fabric supports up to 36 switches with a single point of management. Our flexible switch deployment options include standalone, stacking and Campus Fabric (with the same switches). With RUCKUS Cloud, you can easily add in RUCKUS Wi-Fi AP's and switches, or Internet of Things (IoT) infrastructure. For the latter two, simply plug into pre-existing RUCKUS Wi-Fi AP's – without having to rip and replace!

## WIRED AND WIRELESS NETWORK MANAGEMENT



With RUCKUS SmartZone Network Controllers, it is possible to manage both your wired and wireless network using a single network element. SmartZone network controllers simplify network set-up and management, enhance security, minimize troubleshooting and ease upgrades, and ensure provisioning consistency across networks built on RUCKUS access points and switches.

# Education Solutions for E-Rate

## Wireless Technology

Indoor and outdoor Wi-Fi (access points with Wi-Fi 6 that enables high device density, high-quality video, IoT sensors and cloud-managed control)

Mobile Hotspot (mobile-wireless access point is designed to leverage LTE networks as a backhaul and provide outdoor coverage)

## Fiber and Copper Cabling


Cat 6A and Powered Fiber (indoor and outdoor cabling to connect security cameras, sensors and small cells)

## Switching Technology

Multigigabit stackable switches with PoE (delivers high-end routing and security capabilities suitable for any school or district network)

## Cloud-Managed Solutions

SaaS offerings (Cloudpath ES, RUCKUS Cloud Network Monitoring, IoT Networking, RUCKUS SPoT, RUCKUS Analytics)



# Table of Contents

|  |    |
|--|----|
| Access Points for E-Rate.....                                | 6  |
| Indoor Access Points.....                                    | 6  |
| Outdoor Access Points.....                                   | 7  |
| T750 .....   | 7  |
| T670 .....   | 7  |
| T350 .....   | 7  |
| ICX Switches for E-Rate.....                                 | 8  |
| ICX 7150 – Compact.....                                      | 8  |
| ICX 7150 .....   | 8  |
| ICX 7150 Z-Series.....                                       | 10 |
| ICX 7550 .....   | 10 |
| ICX 7850 .....   | 12 |
| ICX 8200 .....   | 13 |
| Accessories for E-Rate.....                                  | 16 |
| Accessories (Optics, Cables, Connectors & Power Cords).....  | 16 |
| Software, Licenses, and Services for E-Rate .....            | 18 |
| Physical SmartZone .....                                     | 18 |
| Virtual SmartZone.....                                       | 18 |
| SmartZone AP License and Support.....                        | 19 |
| SmartZone Data Plane and Virtual Data Plane .....            | 19 |
| ZoneDirector.....  | 20 |
| RUCKUS One.....  | 20 |
| Switch Management Bundle.....                                | 21 |
| Subscription Bundles of RUCKUS Analytics and SmartZone ..... | 21 |
| RUCKUS Analytics.....  | 22 |
| Watchdog Remote Support for ICX.....                         | 22 |
| Watchdog Support for SmartZone .....                         | 23 |
| Watchdog Support for Unleashed Access Points.....            | 23 |

# Access Points for E-Rate



| INDOOR ACCESS POINTS |                 |   |                      |                  |
|----------------------|-----------------|---|----------------------|------------------|
| Product Name         | SKU/Part Number | Description   | E-Rate Eligibility % | E-Rate Category  |
| R850                 | 901-R850-US00   | RUCKUS R850 dual-band 802.11abgn/ac/ax Wireless Access Point with Multi-Gigabit Ethernet backhaul, 8x8:8 streams (5GHz) 4x4:4 streams (2.4GHz), OFDMA, MU-MIMO, BeamFlex+, dual ports, PoH/uPoE/802.3at PoE support. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty.  | 100%                 | Cat 2 (IC, MIBS) |
| R770                 | 901-R770-US00   | RUCKUS R770 Wi-Fi 7 tri-band concurrent wireless Access Point with 2x2 (2.4GHz) + 4x4 (5GHz) + 2x2 (6GHz) RF configurations. Wi-Fi 7 support in all three frequency bands. 6GHz band supports LPI mode and SP mode with AFC. Fully backward compatible with Wi-Fi 6E. Can also be configured to 2x2 (2.4GHz) + 4x4 (5GHz) dual-band RF configurations through software, with Wi-Fi 7 support in both frequency bands.<br>BeamFlex+, one 10-Gigabit Ethernet backhaul, one 1-Gigabit auxiliary port, 802.3bt PoE-in and 48V DC, onboard Bluetooth® Low Energy (BLE) and Zigbee® technology selectable IoT radio with "Matter" and "Thread" capable, USB 2.0, TPM 2.0, Secure Boot, and DPSK3.<br>Includes adjustable acoustic drop ceiling bracket. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty |                      |                  |
| R750                 | 901-R750-US00   | RUCKUS R750 dual-band 802.11abgn/ac/ax Wireless Access Point with Multi-Gigabit Ethernet backhaul and onboard BLE/Zigbee, 4x4:4 streams (5GHz) 4x4:4 streams (2.4GHz), OFDMA, MU-MIMO, BeamFlex+, dual ports, 802.3at PoE support. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty.  |                      |                  |
| R670                 | 901-R670-US00   | RUCKUS R760 tri band 802.11abgn/ac/ax Wireless Access Point with Tri-Radio (6GHz/5GHz/2.4GHz 4x4:4) with Multi-Gigabit Ethernet backhaul, PoH/uPoE/802.3bt PoE support. Concurrent Tri-Band operation in 6GHz, 5GHz and 2.4GHz bands. (1x) 10Gbps PoE In port, (1x) 1 GbE port, USB 2.0, OFDMA, MU-MIMO, BeamFlex+. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty.   |                      |                  |
| R650                 | 901-R650-US00   | RUCKUS R650 dual-band 802.11abgn/ac/ax Wireless Access Point with Multi-Gigabit Ethernet backhaul, 4x4:4 + 2x2:2 streams, OFDMA, MU-MIMO, BeamFlex+, dual ports, PoH/uPoE/802.3at PoE support. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty.  |                      |                  |
| R550                 | 901-R550-US00   | RUCKUS R550 dual-band 802.11abgn/ac/ax Wireless Access Point with Multi-Gigabit Ethernet backhaul and onboard BLE/Zigbee, 2x2:2 streams (2.4GHz/5GHz) OFDMA, MU-MIMO, BeamFlex+, dual ports, 802.3at PoE support. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty.   |                      |                  |
| R350                 | 901-R350-US02   | RUCKUS R350 dual-band 802.11abgn/ac/ax Wireless Access Points, 2x2:2 streams (2.4GHz/5GHz) OFDMA, MU-MIMO, BeamFlex+, 802.3af PoE support. Does not include power adapter or PoE injector. Includes Limited Lifetime Warranty   |                      |                  |

# Access Points for E-Rate



T750

## T750 OUTDOOR ACCESS POINTS

| Product Name | SKU/Part Number | Description  | E-Rate Eligibility % | E-Rate Category  |
|--------------|-----------------|--|----------------------|------------------|
| T750         | 901-T750-US01   | RUCKUS T750 802.11ax Outdoor Wireless Access Point, 4x4:4 Stream, Omnidirectional Beamflex+ coverage, 2.4GHz and 5GHz concurrent dual band, (1x) 2.5G Ethernet port, (1x) 10/100/1000 Ethernet port, 100-240 Vac, POE in and PSE out, Fiber SFP/SFP+, GPS, IP-67 Outdoor enclosure, -40 to 65C Operating Temperature.  | 100%                 | Cat 2 (IC, MIBS) |
|              | 901-T750-US51   | RUCKUS T750SE 802.11ax Outdoor Wireless Access Point, 4x4:4 Stream, 120-Degree Sector antenna included and option to attach external antennae, 2.4GHz and 5GHz concurrent dual band, (1x) 2.5G Ethernet port, (1x) 10/100/1000 Ethernet port, 100-240 Vac, POE in and PSE out, Fiber SFP/SFP+, GPS, IP-67 Outdoor enclosure, -40 to 65C Operating Temperature. |                      |                  |



T670

## T670 OUTDOOR ACCESS POINTS

| Product Name | SKU/Part Number | Description   | E-Rate Eligibility % | E-Rate Category  |
|--------------|-----------------|---|----------------------|------------------|
| T670         | 901-T670-US01   | RUCKUS T670 Wi-Fi 7 tri-band outdoor concurrent wireless access point with 2x2 (2.4GHz) + 2x2 (5GHz) + 2x2 (6GHz) RF configuration. Wi-Fi 7 in all three bands. 6GHz supports SP mode with AFC. T670 can be also software configurable to 2x2 (2.4GHz) + 4x4 (5GHz) dual-band mode with Wi-Fi 7 support in both frequency bands. BeamFlex+, one 5-Gigabit Ethernet backhaul, one 1- Gigabit auxiliary port, PoH/uPoE/802.3bt/802.3at PoE support, TPM 2.0, Secure Boot, and DPSK3. Mounting bracket included. Power adapter or PoE Injector not included. Includes limited one-year warranty. | 100%                 | Cat 2 (IC, MIBS) |



T350

## T350 OUTDOOR ACCESS POINTS

| Product Name | SKU/Part Number | Description  | E-Rate Eligibility % | E-Rate Category  |
|--------------|-----------------|--|----------------------|------------------|
| T350         | 901-T350-US20   | RUCKUS T350c, omni, outdoor access point, 802.11ax 2x2:2 internal BeamFlex+, dual band concurrent. One Ethernet port, PoE input. -20°C to 65°C Operating Temperature. Includes mounting bracket. Does not include PoE injector.                | 100%                 | Cat 2 (IC, MIBS) |
|              | 901-T350-US40   | RUCKUS T350d, omni, outdoor access point, 802.11ax 2x2:2 internal BeamFlex+, dual band concurrent. One Ethernet port, PoE input, DC input, USB. -40°C to 65°C Operating Temperature. Includes mounting bracket. Does not include PoE injector. |                      |                  |

# ICX Switches for E-Rate



ICX 7150 – Compact

| ICX 7150 – COMPACT (ACCESS/EDGE SWITCH) |   |                      |                  |
|---|---|----------------------|------------------|
| SKU/Part Number                         | Description   | E-Rate Eligibility % | E-Rate Category  |
| ICX7150-C10ZP-2X10GR                    | ICX 7150 Compact Switch, 2x 100/1000/2.5/5/10G PoH ports, 2x 100/1000/2.5G PoH ports, 6x 100/1000/2.5G PoE+ ports, 2x 10G SFP uplink-ports, 240W PoE budget, L3 features (OSPF, VRRP, PIM, PBR)                         | 100%                 | Cat 2 (IC, MIBS) |
| ICX7150-C10ZP-2X10GR-RMT3               | ICX 7150 Compact Switch, 2x 100/1000/2.5/5/10G PoH ports, 2x 100/1000/2.5G PoH ports, 6x 100/1000/2.5G PoE+ ports, 2x 10G SFP uplink-ports, 240W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), 3 year remote support. |                      |                  |
| ICX7150-C10ZP-2X10GR-A                  | ICX 7150 Compact Switch, 2x 100/1000/2.5/5/10G PoH ports, 2x 100/1000/2.5G PoH ports, 6x 100/1000/2.5G PoE+ ports, 2x 10G SFP uplink-ports, 240W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), TAA                    |                      |                  |
| ICX7150-C08P-2X1G-RMT3                  | ICX 7150 Compact Switch, 8x 10/100/1000 PoE+ ports, 2x 1G SFP uplink-ports, 62W PoE budget, L2 (switch image only), 3 year remote support.  |                      |                  |
| ICX7150-C08PT-2X1G-RMT3                 | ICX 7150 Compact Switch Extended Temp, 8x 10/100/1000 PoE+ ports, 2x 1G SFP uplink-ports, 62W PoE budget, L2 (switch image only), 3 year remote support. 13 month hardware warranty.                                    |                      |                  |



ICX 7150

| ICX 7150 (ACCESS/EDGE SWITCH) |  |                      |                  |
|-------------------------------|--|----------------------|------------------|
| SKU/Part Number               | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX7150-24-4X1G               | ICX 7150 Switch, 24x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 4x 1G SFP uplink-ports upgradable to up to 4x 10G SFP+ with license, basic L3 (static routing and RIP)                                | 100%                 | Cat 2 (IC, MIBS) |
| ICX7150-24-2X10G              | ICX 7150 Switch, 24x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 2x 1G SFP and 2x 10G SFP+ uplink-ports upgradable to 4x 10G SFP+ with license, basic L3 (static routing and RIP)                      |                      |                  |
| ICX7150-24-4X10GR-RMT3        | ICX 7150 Switch, 24x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, L3 features (OSPF, VRRP, PIM, PBR), 3 year remote support.  |                      |                  |
| ICX7150-24-4X10GR-A           | ICX 7150 Switch, 24x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, L3 features (OSPF, VRRP, PIM, PBR), TAA   |                      |                  |
| ICX7150-24P-4X1G              | ICX 7150 Switch, 24x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 1G SFP uplink ports upgradable to up to 4x 10G SFP+ with license, 370W PoE budget, basic L3 (static routing and RIP)          |                      |                  |
| ICX7150-24P-2X10G             | ICX 7150 Switch, 24x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 2x 1G SFP and 2x 10G SFP+ uplink-ports upgradable to 4x 10G SFP+ with license 370W PoE budget, basic L3 (static routing and RIP) |                      |                  |
| ICX7150-24P-4X10GR-RMT3       | ICX 7150 Switch, 24x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, 370W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), 3 year remote support.                            |                      |                  |

# ICX Switches for E-Rate



| ICX 7150 (ACCESS/EDGE SWITCH) |   |                      |                  |
|-------------------------------|---|----------------------|------------------|
| SKU/Part Number               | Description   | E-Rate Eligibility % | E-Rate Category  |
| ICX7150-24P-4X10GR-A          | ICX 7150 Switch, 24x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, 370W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), TAA  | 100%                 | Cat 2 (IC, MIBS) |
| ICX7150-48-2X10G              | ICX 7150 Switch, 48x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 2x 1G SFP and 2x 10G SFP+ uplink-ports upgradable to 4x 10G SFP+ with license, basic L3 (static routing and RIP)                       |                      |                  |
| ICX7150-48-4X10GR-RMT3        | ICX 7150 Switch, 48x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, L3 features (OSPF, VRRP, PIM, PBR), 3 year remote support.   |                      |                  |
| ICX7150-48-4X10GR-A           | ICX 7150 Switch, 48x 10/100/1000 ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, L3 features (OSPF, VRRP, PIM, PBR), TAA  |                      |                  |
| ICX7150-48P-4X1G              | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 1G SFP uplink ports upgradable to up to 4x 10G SFP+ with license, 370W PoE budget, basic L3 (static routing and RIP)           |                      |                  |
| ICX7150-48P-2X10G             | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 2x 1G SFP and 2x 10G SFP+ uplink-ports upgradable to 4x 10G SFP+ with license, 370W PoE budget, basic L3 (static routing and RIP) |                      |                  |
| ICX7150-48P-4X10GR-RMT3       | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, 370W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), 3 year remote support.                             |                      |                  |
| ICX7150-48P-4X10GR-A          | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, 370W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), TAA  |                      |                  |
| ICX7150-48PF-4X1G             | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 1G SFP uplink ports upgradable to up to 4x 10G SFP+ with license, 740W PoE budget, basic L3 (static routing and RIP)           |                      |                  |
| ICX7150-48PF-2X10G            | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 2x 1G SFP and 2x 10G SFP+ uplink-ports upgradable to 4x 10G SFP+ with license, 740W PoE budget, basic L3 (static routing and RIP) |                      |                  |
| ICX7150-48PF-4X10GR-RMT3      | ICX 7150 Switch, 48x 10/100/1000 PoE+ ports, 2x 1G RJ45 uplink-ports, 4x 10G SFP+ uplink-ports, 740W PoE budget, L3 features (OSPF, VRRP, PIM, PBR), 3 year remote support.                             |                      |                  |
| BR-ICX-7150-210U410R-P-01     | CoE certificate license to upgrade any ICX 7150 24-port or 48-port model from 2x 1G SFP & 2x 10G SFP+ to 4x 10G SFP+ uplink ports. Also includes L3 features (OSPF, VRRP, PIM, PBR)                     |                      |                  |
| BR-ICX-7150-41U210-P-01       | CoE certificate license to upgrade any ICX 7150 24-port or 48-port model from 4x 1G SFP to 2x 1G SFP & 2x 10G SFP+ uplink ports.  |                      |                  |
| BR-ICX-7150-41U410R-P-01      | CoE certificate license to upgrade any ICX 7150 24-port or 48-port model from 4x 1G SFP to 4x 10G SFP+ uplink ports. Also includes L3 features (OSPF, VRRP, PIM, PBR)                                   |                      |                  |
| BR-ICX-7150C-21U210R-P-01     | CoE certificate license to upgrade the ICX 7150-C12P compact switch from 2x 1G SFP to 2x 10G SFP+ uplink ports. Also includes L3 features (OSPF, VRRP, PIM, PBR)  |                      |                  |
| BR-ICX-7150Z210U810R-P-01     | CoE certificate license to upgrade the ICX 7150-48ZP, Z-Series switch from 2x 10G SFP+ to 8x 10G SFP+ uplink ports. Also includes L3 features (OSPF, VRRP, PIM, PBR)                                    |                      |                  |

# ICX Switches for E-Rate



ICX 7150 Z-series

| ICX 7150 Z-SERIES (ACCESS/EDGE SWITCH) |   |                      |                  |
|--|---|----------------------|------------------|
| SKU/Part Number                        | Description   | E-Rate Eligibility % | E-Rate Category  |
| ICX7150-48ZP-E2X10G                    | ICX 7150-48ZP Switch Z-Series, 16x 100/1000/2.5G PoH ports, 32x 10/100/1000 PoE+ ports, 2x 10G SFP+ and 6x 1G SFP uplink-ports upgradable to 8x 10G SFP+ with license. Basic L3 (static routing and RIP). 1 RPS20-E Power Supply, 1 Fan tray. | 100%                 | Cat 2 (IC, MIBS) |
| ICX7150-48ZP-E8X10GR-RMT3              | ICX 7150-48ZP Switch Z-Series, 16x 100/1000/2.5G PoH ports, 32x 10/100/1000 PoE+ ports, 8x 10G SFP+, L3 features (OSPF, VRRP, PIM, PBR). 1 RPS20-E Power Supply, 1 Fan tray. 3 years remote support   |                      |                  |
| ICX7150-48ZP-E8X10GR2-A                | ICX 7150-48ZP Switch Z-Series, 16x 100/1000/2.5G PoH ports, 32x 10/100/1000 PoE+ ports, 8x 10G SFP+, L3 features (OSPF, VRRP, PIM, PBR). 2 RPS20-E Power Supplies, 2 Fan trays. TAA   |                      |                  |



ICX 7550

| ICX 7550 (AGGREGATION/CORE SWITCH) |  |                      |                  |
|------------------------------------|--|----------------------|------------------|
| SKU/Part Number                    | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX7550-24                         | ICX 7550 24-port 10/100/1000 Mbps with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, no fans, no power supplies installed. Transceivers sold separately   | 100%                 | Cat 2 (IC, MIBS) |
| ICX7550-24-E2                      | ICX 7550 24-port 10/100/1000 Mbps with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. Transceivers sold separately   |                      |                  |
| ICX7550-48                         | ICX 7550 48-port 10/100/1000 Mbps with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, no fans, no power supplies installed. Transceivers sold separately   |                      |                  |
| ICX7550-48-E2                      | ICX 7550 48-port 10/100/1000 Mbps with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. Transceivers sold separately   |                      |                  |
| ICX7550-24P-E2-R3                  | ICX 7550 24-port 10/100/1000 Mbps 802.3at POE+ with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. 3-years TAC support. Transceivers sold separately                     |                      |                  |
| ICX7550-48P-E2-R3                  | ICX 7550 48-port 10/100/1000 Mbps 802.3at POE+ with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. 3-years TAC support. Transceivers sold separately                     |                      |                  |
| ICX7550-24ZP                       | ICX 7550 12-port 10/100/1000/2500 Mbps 802.3bt POE, 12-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, no fans, no power supplies installed. Transceivers sold separately         |                      |                  |
| ICX7550-48F-E2-R3                  | ICX 7550 36-port 100/1000 Mbps SFP, 12-port 1/10 Gbps SFP+ with 2-ports 40/100 Gbps Uplink/Stack QSFP28, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 3-years TAC support. Transceivers sold separately |                      |                  |

# ICX Switches for E-Rate



| ICX 7550 (AGGREGATION/CORE SWITCH) |  |                      |                  |
|------------------------------------|--|----------------------|------------------|
| SKU/Part Number                    | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX-MACSEC-LIC                     | ICX MACSEC LICENSE   | 100%                 | Cat 2 (IC, MIBS) |
| ICX7550-PREM-LIC                   | ICX 7550 LAYER 3 PREMIUM LICENSE   |                      |                  |
| ICX7550-24ZP-E2-R3                 | ICX 7550 12-port 10/100/1000/2500 Mbps 802.3bt POE, 12-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 3-years TAC support. Transceivers sold separately      |                      |                  |
| ICX7550-48ZP-E2-R3                 | ICX 7550 36-port 10/100/1000/2500 Mbps 802.3bt POE, 12-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 3-years TAC support. Transceivers sold separately      |                      |                  |
| ICX7550-24F                        | ICX 7550 24-port 1/10 Gbps with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, no fans, no power supplies installed. Transceivers sold separately   |                      |                  |
| ICX7550-24F-E2-R3                  | ICX 7550 24-port 1/10 Gbps with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 3-years TAC support. Transceivers sold separately  |                      |                  |
| ICX7550-48F                        | ICX 7550 36-port 100/1000 Mbps SFP, 12-port 1/10 Gbps SFP+ with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, no fans, no power supplies installed. Transceivers sold separately   |                      |                  |
| ICX7550-48F-E2-R3                  | ICX 7550 36-port 100/1000 Mbps SFP, 12-port 1/10 Gbps SFP+ with 2-ports 40/100 Gbps Uplink/Stack QSFP28, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 3-years TAC support. Transceivers sold separately   |                      |                  |
| ICX-MACSEC-LIC                     | ICX MACSEC LICENSE   |                      |                  |
| ICX7550-PREM-LIC                   | ICX 7550 LAYER 3 PREMIUM LICENSE   |                      |                  |
| ICX7550-24F-E2-R5                  | ICX 7550 24-port 1/10 Gbps with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 5-years remote support. Transceivers sold separately, TAA  | 100%                 | IC/MIBS          |
| ICX7550-48F-E2-R5                  | ICX 7550 36-port 100/1000 Mbps SFP, 12-port 1/10 Gbps SFP+ with 2-ports 40/100 Gbps Uplink/Stack QSFP28, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 5-years remote support. Transceivers sold separately, TAA                                       |                      |                  |
| ICX7550-24P-E2-R5                  | ICX 7550 24-port 10/100/1000 Mbps 802.3at POE+ with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-48P-E2-R5                  | ICX 7550 48-port 10/100/1000 Mbps 802.3at POE+ with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-48ZP-E2-R5                 | ICX 7550 36-port 100/1000/2500 Mbps 802.3bt POE, 12-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA |                      |                  |
| ICX7550-24XZP-E2R3                 | ICX 7550 24-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 3-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-24XZP-E2R5                 | ICX 7550 24-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA   |                      |                  |

# ICX Switches for E-Rate



ICX 7850

| ICX 7850 (AGGREGATION/CORE SWITCH) |  |                      |                  |
|------------------------------------|--|----------------------|------------------|
| SKU/Part Number                    | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX7850-32Q-E2                     | ICX 7850 32-port QSFP28 supports native 40GE or 100GE, or breakout 4x10GE or 4x25GE, bundle includes two AC PS and six fans, PS side exhaust airflow, transceivers sold separately.  | 100%                 | Cat 2 (IC, MIBS) |
| ICX7850-48FS-E2-RMT3               | ICX 7850 48-port SFP+ 1/10GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 3-year remote support.         |                      |                  |
| ICX7850-32Q                        | ICX 7850 32-port QSFP28 supports native 40GE or 100GE, or breakout 4x10GE or 4x25GE, bundle includes two AC PS and six fans, PS side exhaust airflow, transceivers sold separately.  |                      |                  |
| ICX7850-48F                        | ICX 7850 48-port SFP28 1/10/25GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately.                                 |                      |                  |
| ICX7850-48FS                       | ICX 7850 48-port SFP+ 1/10GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately.                                     |                      |                  |
| ICX-MACSEC-LIC                     | ICX MACSEC LICENSE   |                      |                  |
| ICX7850-PREM-LIC                   | ICX7850 Premium feature license  | 100%                 | IC/MIBS          |
| ICX7850-48F-E2-R3                  | ICX 7850 48-port SFP28 1/10/25GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 3-year remote support, TAA |                      |                  |
| ICX7850-48F-E2-R5                  | ICX 7850 48-port SFP28 1/10/25GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 5-year remote support, TAA |                      |                  |
| ICX7850-48C-E2-R3                  | ICX 7850 48-port RJ45 1/10GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 3-year remote support, TAA     |                      |                  |
| ICX7850-48C-E2-R5                  | ICX 7850 48-port RJ45 1/10GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 5-year remote support, TAA     |                      |                  |

# ICX Switches for E-Rate



ICX 8200

| ICX 8200 (EDGE/ACCESS SWITCH) |  |                      |                  |
|-------------------------------|--|----------------------|------------------|
| SKU/Part Number               | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX8200-24                    | RUCKUS ICX 8200 Switch, 24x10/100/1000 Mbps ports, 4x25 GbE SFP28 stacking/uplink-ports, three-year remote TAC support. Power cord not included. TAA   | 100%                 | Cat 2 (IC, MIBS) |
| ICX8200-24P                   | RUCKUS ICX 8200 Switch, 24x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 370W PoE budget, three-year remote TAC support. Power cord not included. TAA   |                      |                  |
| ICX8200-48                    | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps ports, 4x25 GbE SFP28 stacking/uplink-ports, three-year remote TAC support. Power cord not included. TAA   |                      |                  |
| ICX8200-48P                   | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 370 W PoE budget, three-year remote TAC support. Power cord not included. TAA  |                      |                  |
| ICX8200-48PF                  | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 740 W PoE budget, three-year remote TAC support. Power cord not included. TAA  |                      |                  |
| ICX8200-48PF2-E               | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 840 W PoE budget (with one PSU), hot swap power supplies and fans, one power supply and one fan included., three-year remote TAC support. Power cord not included. TAA   |                      |                  |
| ICX8200-48PF2-E2              | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports 1480 W PoE budget, hot swap power supplies and fans, two power supplies and two fans included, three-year remote TAC support. Power cords not included. TAA   |                      |                  |
| ICX8200-C08PF                 | RUCKUS ICX 8200 Compact Switch, 8x10/100/1000 Mbps PoE+ ports, 2x10 GbE SFP+ stacking/uplink-ports, 124W PoE budget, three-year remote TAC support. Power cord not included. TAA   |                      |                  |
| ICX8200-C08ZP                 | RUCKUS ICX 8200 Compact Switch, 4x100/1000/2500 Mbps PoE++ ports, 4x 1/2.5/5/10Mbps PoE++ ports, 2x25 GbE SFP28 stacking/uplink-ports, 240 W PoE budget, three-year remote TAC support. Must use Power Cord High Temperature C15 connector. Power cord not included. TAA                                     |                      |                  |
| ICX8200-24ZP                  | RUCKUS ICX 8200 Switch, 24x100/1000/2500 Mbps PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 740 W PoE budget, three-year remote TAC support. Power cord not included. TAA   |                      |                  |
| ICX8200-48ZP2-E               | RUCKUS ICX 8200 Switch, 32x10/100/1000 Mbps PoE+ ports, 16x100/1000/2500 Mbps RJ-45 PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 800 W PoE budget (with one PSU), hot swap power supplies and fans, one power supply and one fan included, three-year remote TAC support. Power cord not included. TAA |                      |                  |
| ICX8200-48ZP2-E2              | RUCKUS ICX 8200 Switch, 32x10/100/1000 Mbps PoE+ ports, 16x100/1000/2500 Mbps RJ-45 PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 1480 W PoE budget, hot swap power supplies and fans, two power supplies and two fans included, three-year remote TAC support. Power cords not included. TAA           |                      |                  |
| ICX8200-24F                   | RUCKUS ICX 8200 Switch, 24x10/100/1000 Mbps SFP ports, 4x25 GbE SFP28 stacking/uplink-ports, three-year remote TAC support. Power cord not included. TAA   |                      |                  |
| ICX8200-48F                   | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps SFP ports, 4x25 GbE SFP28 stacking/uplink-ports, three-year remote TAC support. Power cord not included. TAA   |                      |                  |

# ICX Switches for E-Rate



| ICX 8200 (EDGE/ACCESS SWITCH) |  |                      |                  |
|-------------------------------|--|----------------------|------------------|
| SKU/Part Number               | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX8200-24FX                  | RUCKUS ICX 8200 Switch, 16x1/10GbE SFP+ ports, 8x25 GbE SFP28 stacking/uplink-ports, three-year remote TAC support. Power cord not included. TAA   | 100%                 | Cat 2 (IC, MIBS) |
| ICX8200-C08PF-R5              | RUCKUS ICX 8200 Compact Switch, 8x10/100/1000 Mbps PoE+ ports, 2x10 GbE SFP+ stacking/uplink-ports, 124W PoE budget, five-year remote TAC support. Power cord not included   | 100%                 | IC, MIBS         |
| ICX8200-C08ZP-R5              | RUCKUS ICX 8200 Compact Switch, 4x100/1000/2500 Mbps PoE++ ports, 4x 1/2.5/5/10Gbps PoE++ ports, 2x25 GbE SFP28 stacking/uplink-ports, 240 W PoE budget, five-year remote TAC support. Must use Power Cord High Temperature C15 connector. Power cord not included                                     |                      |                  |
| ICX8200-24P-R5                | RUCKUS ICX 8200 Switch, 24x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 370W PoE budget, five-year remote TAC support. Power cord not included   |                      |                  |
| ICX8200-24ZP-R5               | RUCKUS ICX 8200 Switch, 24x100/1000/2500 Mbps PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 740 W PoE budget, five-year remote TAC support. Power cord not included   |                      |                  |
| ICX8200-48P-R5                | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 370 W PoE budget, five-year remote TAC support. Power cord not included  |                      |                  |
| ICX8200-48PF-R5               | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 740 W PoE budget, five-year remote TAC support. Power cord not included  | 100%                 | IC, MIBS         |
| ICX8200-48PF2-E-R5            | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 840 W PoE budget (with one PSU), hot swap power supplies and fans, one power supply and one fan included., five-year remote TAC support. Power cord not included   |                      |                  |
| ICX8200-48ZP2-E-R5            | RUCKUS ICX 8200 Switch, 32x10/100/1000 Mbps PoE+ ports, 16x100/1000/2500 Mbps RJ-45 PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 800 W PoE budget (with one PSU), hot swap power supplies and fans, one power supply and one fan included, five-year remote TAC support. Power cord not included |                      |                  |
| ICX8200-24FX-R5               | RUCKUS ICX 8200 Switch, 16x1/10GbE SFP+ ports, 8x25 GbE SFP28 stacking/uplink-ports, five-year remote TAC support. Power cord not included   |                      |                  |

| ICX 8200 BUNDLES |  |                      |                  |
|------------------|--|----------------------|------------------|
| SKU/Part Number  | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX8200-C08PF-R5 | RUCKUS ICX 8200 Compact Switch, 8x10/100/1000 Mbps PoE+ ports, 2x10 GbE SFP+ stacking/uplink-ports, 124W PoE budget, five-year remote TAC support. Power cord not included   | 100%                 | Cat 2 (IC, MIBS) |
| ICX8200-C08ZP-R5 | RUCKUS ICX 8200 Compact Switch, 4x100/1000/2500 Mbps PoE++ ports, 4x 1/2.5/5/10Gbps PoE++ ports, 2x25 GbE SFP28 stacking/uplink-ports, 240 W PoE budget, five-year remote TAC support. Must use Power Cord High Temperature C15 connector. Power cord not included |                      |                  |
| ICX8200-24P-R5   | RUCKUS ICX 8200 Switch, 24x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 370W PoE budget, five-year remote TAC support. Power cord not included   |                      |                  |
| ICX8200-24ZP-R5  | RUCKUS ICX 8200 Switch, 24x100/1000/2500 Mbps PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 740 W PoE budget, five-year remote TAC support. Power cord not included   |                      |                  |

# ICX Switches for E-Rate



| ICX 8200 BUNDLES   |  |                      |                  |
|--------------------|--|----------------------|------------------|
| SKU/Part Number    | Description  | E-Rate Eligibility % | E-Rate Category  |
| ICX8200-48P-R5     | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 370 W PoE budget, five-year remote TAC support. Power cord not included  | 100%                 | Cat 2 (IC, MIBS) |
| ICX8200-48PF-R5    | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 740 W PoE budget, five-year remote TAC support. Power cord not included  |                      |                  |
| ICX8200-48PF2-E-R5 | RUCKUS ICX 8200 Switch, 48x10/100/1000 Mbps PoE+ ports, 4x25 GbE SFP28 stacking/uplink-ports, 840 W PoE budget (with one PSU), hot swap power supplies and fans, one power supply and one fan included., five-year remote TAC support. Power cord not included   |                      |                  |
| ICX8200-48ZP2-E-R5 | RUCKUS ICX 8200 Switch, 32x10/100/1000 Mbps PoE+ ports, 16x100/1000/2500 Mbps RJ-45 PoE++ ports, 4x25 GbE SFP28 stacking/uplink-ports, 800 W PoE budget (with one PSU), hot swap power supplies and fans, one power supply and one fan included, five-year remote TAC support. Power cord not included |                      |                  |
| ICX8200-24FX-R5    | RUCKUS ICX 8200 Switch, 16x1/10GbE SFP+ ports, 8x25 GbE SFP28 stacking/uplink-ports, five-year remote TAC support. Power cord not included   |                      |                  |
| ICX7550-24F-E2-R5  | ICX 7550 24-port 1/10 Gbps with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 5-years remote support. Transceivers sold separately, TAA  |                      |                  |
| ICX7550-48F-E2-R5  | ICX 7550 36-port 100/1000 Mbps SFP, 12-port 1/10 Gbps SFP+ with 2-ports 40/100 Gbps Uplink/Stack QSFP28, two AC power supplies, three fans exhaust airflow with exhaust airflow installed, 5-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-24P-E2-R5  | ICX 7550 24-port 10/100/1000 Mbps 802.3at POE+ with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-48P-E2-R5  | ICX 7550 48-port 10/100/1000 Mbps 802.3at POE+ with 2-ports 40 Gbps Uplink/Stack QSFP+, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-48ZP-E2-R5 | ICX 7550 36-port 100/1000/2500 Mbps 802.3bt POE, 12-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA             |                      |                  |
| ICX7550-24XZP-E2R3 | ICX 7550 24-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 3-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7550-24XZP-E2R5 | ICX 7550 24-port 100/1000/2500/50000/10000 Mbps 802.3bt POE with 2-ports 40/100 Gbps Uplink/Stack QSFP28, module slot, three fans, two AC power supplies with exhaust airflow installed. 5-years remote support. Transceivers sold separately, TAA   |                      |                  |
| ICX7850-48F-E2-R3  | ICX 7850 48-port SFP28 1/10/25GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 3-year remote support, TAA   |                      |                  |
| ICX7850-48F-E2-R5  | ICX 7850 48-port SFP28 1/10/25GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 5-year remote support, TAA   |                      |                  |
| ICX7850-48C-E2-R3  | ICX 7850 48-port RJ45 1/10GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 3-year remote support, TAA   |                      |                  |
| ICX7850-48C-E2-R5  | ICX 7850 48-port RJ45 1/10GE, 8x-port QSFP28 supports native 40GE or 100GE or breakout 4x10GE or 4x25GE, bundle includes two AC PS and five fans, PS side exhaust airflow, transceivers sold separately, with 5-year remote support, TAA   |                      |                  |



## ACCESSORIES (OPTICS, CABLES, CONNECTORS, AND POWER CORDS)

| SKU/Part Number  | Description   | E-Rate Eligibility % | E-Rate Category  |
|------------------|---|----------------------|------------------|
| E1MG-100FX-IR-OM | 100BASE-FX IR SFP optic for SMF with LC connector, optical monitoring capable. For distances, up to 15Km  | 100%                 | Cat 2 (IC, MIBS) |
| E1MG-100FX-OM    | 100BASE-FX SFP optic MMF, LC connector, optical monitoring capable  |                      |                  |
| E1MG-100FX-OM-8  | 100BASE-FX SFP optic MMF 8 pack, LC connector, optical monitoring capable, 8-pack   |                      |                  |
| E1MG-BXD         | 1000BASE-BXD SFP optic SMF, transmits at 1490nm and receives at 1310nm, LC connector, single strand SMF fiber. This optic should only be connected to an E1MG-BXU at the far end. |                      |                  |
| E1MG-BXU         | 1000BASE-BXU SFP optic SMF, transmits at 1310nm and receives at 1490nm, LC connector, single strand SMF fiber. This optic should only be connected to an E1MG-BXD at the far end  |                      |                  |
| E1MG-LHA-OM      | 1000BASE-LHA SFP optic, SMF, LC connector, optical monitoring capable   |                      |                  |
| E1MG-LHA-OM-T    | 1000BASE-LHA SFP optic, SMF, LC connector, optical monitoring capable, industrial temperature (-40°C to 85°C)   |                      |                  |
| E1MG-LX-OM       | 1000Base-LX SFP optic, SMF, LC connector, Optical Monitoring Capable  |                      |                  |
| E1MG-LX-OM-8     | 1000BASE-LX SFP optic, SMF, LC connector, optical monitoring capable, 8-pack  |                      |                  |
| E1MG-LX-OM-T     | 1000Base-LX SFP optic, SMF, LC connector, Optical Monitoring Capable, Industrial Temperature  |                      |                  |
| E1MG-SX-OM       | 1000Base-SX SFP optic, MMF, LC connector, Optical Monitoring Capable  |                      |                  |
| E1MG-SX-OM-8     | 1000BASE-SX SFP optic MMF, LC connector, optical monitoring capable, 8-pack   |                      |                  |
| E1MG-SX-OM-T     | 1000Base-SX SFP optic, MMF, LC connector, Optical Monitoring Capable, Industrial Temperature  |                      |                  |
| E1MG-TX          | 1000BASE-TX SFP Copper, RJ-45 Connector   |                      |                  |
| E1MG-LX-A        | 1000BASE-LX SFP Optic, SMF, LC connector, Optical Monitoring Capable, TAA compliant   |                      |                  |
| E1MG-LX-A8       | 1000BASE-LX SFP Optic, SMF, LC connector, Optical Monitoring Capable, TAA compliant, 8-pack   |                      |                  |
| E1MG-100FX-A     | 100BASE-FX SFP optic MMF, LC connector, optical monitoring capable, TAA compliant   |                      |                  |
| E1MG-100FX-A8    | 100BASE-FX SFP optic MMF, LC connector, optical monitoring capable, TAA compliant, 8-pack   |                      |                  |
| E1MG-SX-A        | 1000BASE-SX SFP Optic, MMF, (LC), Optical Monitoring Capable, TAA compliant   |                      |                  |
| E1MG-SX-A8       | 1000BASE-SX SFP Optic, MMF, (LC), Optical Monitoring Capable, TAA compliant, 8-pack   |                      |                  |
| E1MG-TX-A        | 1000BASE-TX SFP Copper, RJ-45, TAA compliant  |                      |                  |
| E1MG-TX-A8       | 1000BASE-TX SFP Copper, RJ-45, TAA compliant, 8-pack  |                      |                  |
| PC15USA          | Power Cord, USA 125V 20A  |                      |                  |
| PCUSA            | Power Cord EPS, USA, 250V 13A   |                      |                  |
| PCUSA-3M         | Power Cord, USA version, NEMA 5-15P Plug (15amp), 3m  |                      |                  |
| PCUSA-C19C20     | Power Cord for IEC 60320-C19 to IEC 60320-C20, 250V, 20A  |                      |                  |
| PCUSA-C19L620P   | Power Cord for IEC 60320-C19 to locking Nema L6-20P, 250V, 20A  |                      |                  |
| PCUSA-C15        | Power Cord High Temperature C15, USA, 125V 13A, 1.83m   |                      |                  |



## ACCESSORIES (OPTICS, CABLES, CONNECTORS)

| SKU/Part Number          | Description  | E-Rate Eligibility % | E-Rate Category  |
|--------------------------|--|----------------------|------------------|
| E100G-QSFP-ESR4          | 100GBASE-ESR4 QSFP+ optic (MTP 1x8 or 1x12), 300m over MMF, 1-pack   | 100%                 | Cat 2 (IC, MIBS) |
| E100G-QSFP-QSFP-AOC-1001 | 100GbE QSFP28 to QSFP28 Direct Attached, Active Optical Cable, 10m   |                      |                  |
| E100G-QSFP28-CWDM4-2KM   | 100GBASE-CWDM4 QSFP28 optic (LC), for distances up to 2 km over SMF  |                      |                  |
| E100G-QSFP28-LR4-10KM    | 100GBASE-LR4 QSFP28 optic (LC), for distances up to 10 km over SMF   |                      |                  |
| E100G-QSFP28-LR4-LP-10KM | 100GBASE-LR4 Low Power, QSFP28 optic (LC), for distances up to 10 km over SMF                                      |                      |                  |
| E100G-QSFP28-LR4L-2KM    | 100 GbE QSFP28 optic (LC), LR4-Lite, for distances up to 2 km over SMF   |                      |                  |
| E100G-QSFP28-SR4         | 100GBASE-SR4 QSFP28 optic (MTP 1x12), for up to 100 m over MMF   |                      |                  |
| E40G-QSFP-ER4            | 40GBASE-ER4 QSFP+ optic (LC), for up to 40km over SMF  |                      |                  |
| E40G-QSFP-ESR4-8         | 40GBASE-ESR4 QSFP+ optic (MTP 1x8 or 1x12), 300m over MMF, 8-pack  |                      |                  |
| E40G-QSFP-LM4            | 40GBASE-LM4 QSFP+, 1310nm, 160m over duplex LC OM4 MMF   |                      |                  |
| E40G-QSFP-LR4            | 40GBASE-LR4 QSFP+ optic (LC), for up to 10km over SMF, 1-pack  |                      |                  |
| E40G-QSFP-LR4-8          | 40GBASE-LR4 QSFP+ optic (LC), for up to 10km over SMF 8-PACK   |                      |                  |
| E40G-QSFP-LR4-INT        | 40GBASE-LR4 QSFP+ to 4 SFP+ optic (LC), for up to 10 km over SMF   |                      |                  |
| E40G-QSFP-QSFP-AOC-1001  | 40GE Direct Attach QSFP+ to QSFP+ Active Optical Cable, 10m, 1-pack  |                      |                  |
| E40G-QSFP-SR4            | 40GBASE-SR4 QSFP+ optic (MTP 1x8 or 1x12), 100m over MMF, 1-pack   |                      |                  |
| E40G-QSFP-SR4-8          | 40GBASE-SR4 QSFP+ optic (MTP 1x8 or 1x12), 100m over MMF, 8-pack   |                      |                  |
| 10G-SFPP-ER              | 10GBASE-ER SFP+ optic (LC), for up to 40km over SMF  |                      |                  |
| 10G-SFPP-ER-2            | 10GBASE-ER SFP+ optic (LC), for up to 40km over SMF 2-pack   |                      |                  |
| 10G-SFPP-LR-8            | 10GBASE-LR, SFPP SMF (LC), for up to 10km over SMF, 8-pack   |                      |                  |
| 10G-SFPP-LRM-8           | 10GBASE-LRM SFP+ optic (LC), for up to 220m over MMF, 8-pack   |                      |                  |
| 10G-SFPP-TWX-0308        | 10GbE Direct Attach SFP+ to SFP+ Active copper cable, 3 m, 8-pack  |                      |                  |
| 10G-SFPP-TWX-0508        | 10GbE Direct Attach SFP+ to SFP+ Active copper cable, 5 m, 8-pack  |                      |                  |
| 10G-SFPP-ZR              | 10GBASE-ZR SFP+ optic (LC), for up to 80km over SMF  |                      |                  |
| 10G-SFPP-ZR-2            | 10GBASE-ZR SFP+ Optic (LC), for up to 80km over SMF, 2-pack  |                      |                  |
| 10G-SFPP-TWX-P-0308      | 10GbE Direct Attach SFP+ to SFP+ Passive copper cable, 3 m, 8-pack   |                      |                  |
| 10G-SFPP-TWX-P-0508      | 10GbE Direct Attach SFP+ to SFP+ Passive copper cable, 5 m, 8-pack   |                      |                  |
| 10G-SFPP-SR-SA8          | 10GBASE-SR, SFP+ optic (LC), target range 300m over MMF, standard temperature (0°C to 70°C),TAA compliant, 8 pack  |                      |                  |
| 10G-SFPP-SR-S8           | 10GBASE-SR,SFPP MMF LC CONNECTOR 8-PACK (No TAA)   |                      |                  |
| 10G-SFPP-LR-SA           | 10GBASE-LR, SFP+ optic (LC), for up to 10km over SMF, standard temperature (0°C to 70°C), TAA compliant            |                      |                  |
| 10G-SFPP-LR-SA8          | 10GBASE-LR, SFP+ optic (LC), for up to 10km over SMF, -standard temperature (0°C to 70°C), TAA compliant, - 8 pack |                      |                  |
| 10G-SFPP-LR-S8           | 10GBASE-LR,SFPP SMF LC CONNECTOR 8-PACK (No TAA)   |                      |                  |

# Software, Licenses, and Services for E-Rate



SmartZone 100 & 144

## PHYSICAL SMARTZONE

| SKU/Part Number | Description   | E-Rate Eligibility % | E-Rate Category  |
|-----------------|---|----------------------|------------------|
| LE9-0001-SG00   | E-Rate AP management license for SZ-100/vSZ 3.X, 1 RUCKUS AP access point with 1 year E-Rate Warranty.                  | 100%                 | Cat 2 (IC, MIBS) |
| LE9-0001-SG03   | E-Rate AP management license for SZ-100/vSZ 3.X, 1 RUCKUS AP access point with 3 year E-Rate Warranty.                  |                      |                  |
| LE9-0001-SG05   | E-Rate AP management license for SZ-100/vSZ 3.X, 1 RUCKUS AP access point with 5 years E-Rate Warranty.                 |                      |                  |
| PE1-S124-US01   | E-Rate SmartZone 100 with 2x10GE ports and 4x1GE ports, 1 Y E-Rate Warranty E-Rate SZ100 2x10GE, 4x1GE 1 yr wrnty       | 100%                 |                  |
| PE1-S124-US03   | E-Rate SmartZone 100 with 2x10GigE and 4 GigE ports with 3 years E-Rate Warranty. E-Rate SZ100 2x10GE, 4x1GE 3 yr wrnty |                      |                  |
| PE1-S144-US01   | E-Rate SmartZone 144 - (4x) 1GbE & (4x) 10GbE ports, 1 Yr E-Rate Warranty   | 100%                 |                  |
| PE1-S144-US03   | E-Rate SmartZone 144 - (4x) 1GbE & (4x) 10GbE ports, 3 Yr E-Rate Warranty   | 33%                  |                  |
| PE1-S144-US05   | E-Rate SmartZone 144 - (4x) 1GbE & (4x) 10GbE ports, 5 Yr E-Rate Warranty   | 20%                  |                  |



## VIRTUAL SMARTZONE

| SKU/Part Number | Description  | E-Rate Eligibility % | E-Rate Category  |
|-----------------|--|----------------------|------------------|
| L09-VRND-WW00   | Virtual Ruckus Network Director, 1 Instance (no device management licenses included)   | 100%                 | Cat 2 (IC, MIBS) |
| L09-0001-SGHA   | AP management license for High Availability. Supported products (Standby mode only): SZ-300, vSZ-H. 1x Ruckus AP on Standby Cluster only |                      |                  |
| L09-0001-ND00   | Ruckus Device management license for virtual RND, 1 Ruckus Network Device  |                      |                  |
| LE9-VSCG-WW01   | E-Rate Virtual SmartZone 3.0 or newer software virtual appliance, 1 Instance, includes 1 AP license with 1 year E-Rate Warranty.         |                      |                  |
| LE9-VSCG-WW03   | E-Rate Virtual SmartZone 3.0 or newer software virtual appliance, 1 Instance, includes 1 AP license with 3 year E-Rate Warranty.         |                      |                  |
| LE9-VSCG-WW05   | E-Rate Virtual SmartZone 3.0 or newer software virtual appliance, 1 Instance, includes 1 AP license with 5 year E-Rate Warranty.         |                      |                  |
| S01-URL1-1LSZ   | SmartZone URL Filtering 1 year subscription for 1 AP   |                      |                  |
| S01-URL1-3LSZ   | SmartZone URL Filtering 3 year subscription for 1 AP   |                      |                  |
| S01-URL1-5LSZ   | SmartZone URL Filtering 5 year subscription for 1 AP   |                      |                  |

# Software, Licenses, and Services for E-Rate



## SMARTZONE AP LICENSE AND SUPPORT

| SKU/Part Number | Description  | E-Rate Eligibility % | E-Rate Category  |
|-----------------|--|----------------------|------------------|
| L09-0001-SG00   | AP management license for SZ-100vSZ 3.X/SCG200/SZ300, 1 RUCKUS AP Access point. Order this when you intend to run software version from 3.2 onwards. | 100%                 | Cat 2 (IC, MIBS) |
| S41-0001-1LER   | E-Rate K-12 WatchDog Support for SZvSZ AP management license, 1 Yr   | 100%                 | Cat 2 (BMIC)     |
| S41-0001-3LER   | E-Rate K-12 WatchDog Support for SZvSZ AP management license, 3 Yr   | 33%                  | Cat 2 (BMIC)     |
| S41-0001-5LER   | E-Rate K-12 WatchDog Support for SZvSZ AP management license, 5 Yr   | 20%                  | Cat 2 (BMIC)     |



SmartZone Data Plane

## SMARTZONE DATA PLANE AND VIRTUAL DATA PLANE

| SKU/Part Number | Description  | E-Rate Eligibility % | E-Rate Category |
|-----------------|--|----------------------|-----------------|
| PE1-D144-US01   | E-Rate SZ Dataplane 144 1 Yr E-Rate Warranty   | 100%                 | Cat 2 (BMIC)    |
| PE1-D144-US03   | E-Rate SZ Dataplane 144 3 Yr E-Rate Warranty   | 33%                  | Cat 2 (BMIC)    |
| PE1-D144-US05   | E-Rate SZ Dataplane 144 5 Yr E-Rate Warranty   | 20%                  | Cat 2 (BMIC)    |
| S01-S144-1000   | End User WatchDog Support for SmartZone 144 Controller Appliance, 1 Year                                 | 100%                 | Cat 2 (BMIC)    |
| S01-S144-3000   | End User WatchDog Support for SmartZone 144 Controller Appliance, 3 Year                                 | 33%                  | Cat 2 (BMIC)    |
| S01-S144-5000   | End User WatchDog Support for SmartZone 144 Controller Appliance, 5 Year                                 | 20%                  | Cat 2 (BMIC)    |
| S01-D144-1000   | WatchDog End User Support Smart Zone 144 Data Plane, 1Yr   | 100%                 | Cat 2 (BMIC)    |
| S01-D144-3000   | WatchDog End User Support Smart Zone 144 Data Plane, 3Yr   | 33%                  | Cat 2 (BMIC)    |
| S01-D144-5000   | WatchDog End User Support Smart Zone 144 Data Plane, 5Yr   | 20%                  | Cat 2 (BMIC)    |
| L09-vSZD-WW00   | Virtual Data Plane 3.2 or newer software virtual appliance, 1 instance (includes throughput upto 1 Gbps) | 100%                 | Cat 2 (BMIC)    |
| L09-vSZD-BW10   | Virtual Data Plane Bandwidth Upgrade - 1 instance ADD ON (throughput upto 10 Gbps)                       |                      |                 |
| L09-vSZD-BWUL   | Virtual Data Plane Bandwidth Upgrade - 1 instance ADD ON (No throughput cap)                             |                      |                 |
| L09-vSZD-SVCM   | Virtual Data Plane – Services (CALEA Mirroring) – 1 instance ADD ON                                      |                      |                 |
| L09-vSZD-SVL3   | Virtual Data Plane – Services (L3 Roaming) – ADD ON – Needs minimum 2 vDP/DP instances                   |                      |                 |
| L09-vSZD-SNAT   | Virtual Data Plane – Services (NAT) – 100K Sessions - 1 instance ADD ON                                  |                      |                 |
| L09-vSZD-SDHP   | Virtual Data Plane – Services (DHCP Server) – 1K IP Leases - 1 instance ADD ON                           |                      |                 |

# Software, Licenses, and Services for E-Rate



ZoneDirector 1200

| ZONEDIRECTOR    |   |                      |                 |
|-----------------|---|----------------------|-----------------|
| SKU/Part Number | Description   | E-Rate Eligibility % | E-Rate Category |
| 9E9-0001-ZD12   | E-Rate ZoneDirector 1200 Single AP License Upgrade SKU with 1 year E-Rate Warranty. Max orderable upgrade license quantity is 145.  | 100%                 | Cat 2 (BMIC)    |
| 9E9-3001-ZD12   | E-Rate ZoneDirector 1200 Single AP License Upgrade SKU with 3 years E-Rate Warranty. Max orderable upgrade license quantity is 145. |                      |                 |



RUCKUS One

| RUCKUS ONE         |  |                      |                 |
|--------------------|--|----------------------|-----------------|
| SKU/Part Number    | Description  | E-Rate Eligibility % | E-Rate Category |
| CLD-ESNT-APSW-REC1 | RUCKUS One Essentials 1-Yr Subscription for 1 network device (AP or Switch) for REC *  | 100%                 | Cat 2 (IC,MIBS) |
| CLD-ESNT-APSW-REC3 | RUCKUS One Essentials 3-Yr Subscription for 1 network device (AP or Switch) for REC *  |                      |                 |
| CLD-ESNT-APSW-REC5 | RUCKUS One Essentials 5-Yr Subscription for 1 network device (AP or Switch) for REC *  |                      |                 |
| CLD-ESNT-APSW-REC7 | RUCKUS One Essentials 7-Yr Subscription for 1 network device (AP or Switch) for REC *  |                      |                 |
| CLD-PROF-APSW-MSP1 | RUCKUS One Professional 1-Yr Subscription for 1 network device (AP or Switch) for MSP - Renewal.   | 90% / 100%           |                 |
| CLD-PROF-APSW-MSP3 | RUCKUS One Professional 3-Yr Subscription for 1 network device (AP or Switch) for MSP - Renewal.   |                      |                 |
| CLD-PROF-APSW-REC1 | RUCKUS One Professional 1-Yr Subscription for 1 network device (AP or Switch) for REC - Renewal.   |                      |                 |
| CLD-PROF-APSW-REC3 | RUCKUS One Professional 3-Yr Subscription for 1 network device (AP or Switch) for REC - Renewal.   |                      |                 |
| CLD-PROF-APSW-REC5 | RUCKUS One Professional 5-Yr Subscription for 1 network device (AP or Switch) for REC (License owned by Ruckus End Customer). Switch RMT support is not included and is required to be purchased separately.   |                      |                 |
| CLD-PROF-APSW-REC7 | RUCKUS One Single-tenant Professional cloud 1 x license of Device Networking for 7-Yr Subscription for REC. License owned by Ruckus End Customer. Device Networking of AP or Switch use 1 x license each. Switch RMT support is not included and is required to be purchased separately. |                      |                 |

\* Switch RMT support is not included and is required to be purchased separately.

| SWITCH MANAGEMENT BUNDLE |                                       |                      |                  |
|--------------------------|---------------------------------------|----------------------|------------------|
| SKU/Part Number          | Description                           | E-Rate Eligibility % | E-Rate Category  |
| LE9-71ZP-SGX3            | SZ ICX Mgt Lic RMT Spp 71ZP 3yr ERATE | 100%                 | Cat 2 (IC, MIBS) |
| LE9-71ZP-SGX5            | SZ ICX Mgt Lic RMT Spp 71ZP 5yr ERATE |                      |                  |
| LE9-7150-SGX3            | SZ ICX Mgt Lic RMT Spp 7150 3yr ERATE |                      |                  |
| LE9-7150-SGX5            | SZ ICX Mgt Lic RMT Spp 7150 5yr ERATE |                      |                  |
| LE9-7550-SGX3            | SZ ICX Mgt Lic RMT Spp 7550 3yr ERATE |                      |                  |
| LE9-7550-SGX5            | SZ ICX Mgt Lic RMT Spp 7550 5yr ERATE |                      |                  |
| LE9-75ZF-SGX3            | SZ ICX Mgt Lic RMT Spp 75ZF 3yr ERATE |                      |                  |
| LE9-75ZF-SGX5            | SZ ICX Mgt Lic RMT Spp 75ZF 5yr ERATE |                      |                  |
| LE9-7850-SGX3            | SZ ICX Mgt Lic RMT Spp 7850 3yr ERATE |                      |                  |
| LE9-7850-SGX5            | SZ ICX Mgt Lic RMT Spp 7850 5yr ERATE |                      |                  |

| SUBSCRIPTION BUNDLES OF RUCKUS ANALYTICS AND SMARTZONE |   |                      |                  |
|--|---|----------------------|------------------|
| SKU/Part Number  | Description   | E-Rate Eligibility % | E-Rate Category  |
| CLD-BNDL-SZWA-REC1                                     | SZ AP Mgmt License for SZ144/vSZ, includes Support for AP 1yr, includes RUCKUS Analytics Subscription 1yr.                          | 100%                 | Cat 2 (IC, MIBS) |
| CLD-BNDL-SZWA-REC3                                     | SZ AP Mgmt License for SZ144/vSZ, includes Support for AP 3yr, includes RUCKUS Analytics Subscription 3yr.                          | 33%                  |                  |
| CLD-BNDL-SZWA-REC5                                     | SZ AP Mgmt License for SZ144/vSZ, includes Support for AP 5yr, includes RUCKUS Analytics Subscription 5yr.                          | 20%                  |                  |
| CLD-BNDL-SZSA-EDU3                                     | E-RATE SmartZone RA support bundle for SZ144/vSZ, includes 3yr Warranty for 1xAP, includes basic RUCKUS Analytics Subscription 3yr. | 25%                  | Cat 2 (BMIC)     |
| CLD-BNDL-SZSA-EDU5                                     | E-RATE SmartZone RA support bundle for SZ144/vSZ, includes 5yr Warranty for 1xAP, includes basic RUCKUS Analytics Subscription 5yr. | 25%                  |                  |
| CLD-BNDL-SZWA-EDU5                                     | RUCKUS WIRELESS:E-RATE SZ AP Mgmt License for SZ144/vSZ, includes AP 5yr Warranty, includes RUCKUS Analytics 5yr.                   | 100%                 | Cat 2 (IC, MIBS) |



RUCKUS Analytics

| RUCKUS ANALYTICS |   |                      |                 |
|------------------|---|----------------------|-----------------|
| SKU/Part Number  | Description   | E-Rate Eligibility % | E-Rate Category |
| CLD-ANAP-1001    | RUCKUS Analytics 1 year subscription for 1 Cloud or SZ managed AP or ICX switch | 0%                   | Cat 2 (MIBS)    |
| CLD-ANAP-3001    | RUCKUS Analytics 3 year subscription for 1 Cloud or SZ managed AP or ICX switch |                      |                 |
| CLD-ANAP-5001    | RUCKUS Analytics 5 year subscription for 1 Cloud or SZ managed AP or ICX switch |                      |                 |

| WATCHDOG REMOTE SUPPORT FOR ICX |  |                      |                    |
|---------------------------------|--|----------------------|--------------------|
| SKU/Part Number                 | Description  | E-Rate Eligibility % | E-Rate Category    |
| ICX7150-SVL-RMT-1               | WatchDog REMOTE SUPPORT, ICX7150-24, 24P ,48, 48P, 48PF, C12P, C10ZP & -24F  | 100%                 | Cat 2 (BMIC/ MIBS) |
| ICX7150-SVL-RMT-3               | WatchDog REMOTE SUPPORT, ICX7150-24, 24P ,48, 48P, 48PF, C12P, C10ZP & -24F  | 33%                  | Cat 2 (BMIC/ MIBS) |
| ICX7150-SVL-RMT-5               | WatchDog REMOTE SUPPORT, ICX7150-24, 24P ,48, 48P, 48PF, C12P, C10ZP & -24F  | 20%                  | Cat 2 (BMIC/ MIBS) |
| ICX7150-C08P-SVL-RMT-1          | Watchdog Remote Support, ICX7150-C08P SKUs Only; 1Yr duration                | 100%                 | Cat 2 (BMIC/ MIBS) |
| ICX7150-C08P-SVL-RMT-3          | Watchdog Remote Support, ICX7150-C08P SKUs Only; 3Yr duration                | 33%                  | Cat 2 (BMIC/ MIBS) |
| ICX7150-C08P-SVL-RMT-5          | Watchdog Remote Support, ICX7150-C08P SKUs Only; 5Yr duration                | 20%                  | Cat 2 (BMIC/ MIBS) |
| ICX7150-48ZP-SVL-RMT-1          | WatchDog REMOTE SUPPORT, ICX 7150-48ZP SKUs only                             | 100%                 | Cat 2 (BMIC/ MIBS) |
| ICX7150-48ZP-SVL-RMT-3          | WatchDog REMOTE SUPPORT, ICX 7150-48ZP SKUs only                             | 33%                  | Cat 2 (BMIC/ MIBS) |
| ICX7150-48ZP-SVL-RMT-5          | WatchDog REMOTE SUPPORT, ICX 7150-48ZP SKUs only                             | 20%                  | Cat 2 (BMIC/ MIBS) |
| ICX7850-SVL-RMT-1               | WatchDog REMOTE SUPPORT, ICX 7850, 1 YR                                      | 100%                 | Cat 2 (BMIC/ MIBS) |
| ICX7850-SVL-RMT-3               | WatchDog REMOTE SUPPORT, ICX 7850, 3 YR                                      | 33%                  | Cat 2 (BMIC/ MIBS) |
| ICX7850-SVL-RMT-5               | WatchDog REMOTE SUPPORT, ICX 7850, 5 YR                                      | 20%                  | Cat 2 (BMIC/ MIBS) |
| ICX7550-S-RMT-1                 | Watchdog Remote Support, ICX7550-24,-48; -24P; -48P SKUs Only; 1 Yr duration | 100%                 | Cat 2 (BMIC/ MIBS) |
| ICX7550-S-RMT-3                 | Watchdog Remote Support, ICX7550-24,-48; -24P; -48P SKUs Only; 3 Yr duration | 33%                  | Cat 2 (BMIC/ MIBS) |
| ICX7550-S-RMT-5                 | Watchdog Remote Support, ICX7550-24,-48; -24P; -48P SKUs Only; 5 Yr duration | 20%                  | Cat 2 (BMIC/ MIBS) |

## WATCHDOG SUPPORT FOR SMARTZONE

| SKU/Part Number | Description  | E-Rate Eligibility % | E-Rate Category |
|-----------------|--|----------------------|-----------------|
| S41-S144-10ER   | E-Rate K-12 Education WatchDog Support for SZ 144, 1 Yr  | 100%                 | Cat 2 (BMIC)    |
| S41-S144-30ER   | E-Rate K-12 Education WatchDog Support for SZ 144, 3 Yr  | 33%                  |                 |
| S41-S144-50ER   | E-Rate K-12 Education WatchDog Support for SZ 144, 5 Yr  | 20%                  |                 |
| S41-D144-10ER   | E-Rate K-12 Education WatchDog Support for SZD 144, 1 Yr | 100%                 |                 |
| S41-D144-30ER   | E-Rate K-12 Education WatchDog Support for SZD 144, 3 Yr | 33%                  |                 |
| S41-D144-50ER   | E-Rate K-12 Education WatchDog Support for SZD 144, 5 Yr | 20%                  |                 |

## WATCHDOG SUPPORT FOR UNLEASHED ACCESS POINTS

| SKU/Part Number | Description   | E-Rate Eligibility % | E-Rate Category |
|-----------------|---|----------------------|-----------------|
| 841-ULAP-1UER   | E-Rate support for Unleashed APs, no Adv HW replacement, 1 Yr | 100%                 | Cat 2 (BMIC)    |
| 841-ULAP-3UER   | E-Rate support for Unleashed APs, no Adv HW replacement, 3 Yr | 33%                  |                 |
| 841-ULAP-5UER   | E-Rate support for Unleashed APs, no Adv HW replacement, 5 Yr | 20%                  |                 |

## About RUCKUS Networks

RUCKUS Networks builds and delivers purpose-driven networks that perform in the demanding environments of the industries we serve. Together with our network of trusted go-to-market partners, we empower our customers to deliver exceptional experiences to the guests, students, residents, citizens and employees who count on them.

[www.ruckusnetworks.com](http://www.ruckusnetworks.com)

Visit our website or contact your local RUCKUS representative for more information.

© 2026 Vistance Networks, Inc. All rights reserved. Vistance Networks, Aurora Networks, and Ruckus Networks and their associated logos are registered trademarks of Vistance Networks, Inc. and/or its affiliates in the U.S. and other countries. For additional trademark information see <https://www.vistancenetworks.com/trademarks/>. All product names, trademarks and registered trademarks are property of their respective owners. CO-115185.11-EN (01/26)

**RUCKUS**<sup>®</sup>  
**NETWORKS**